



Village of Clarendon Hills

International Mechanical and Fuel Gas Code Amendments

(Commercial and Multi-Family Residential Only)

AMENDMENTS TO INTERNATIONAL MECHANICAL CODE: The International Mechanical Code 2006 as adopted, effective January 1, 2007, is revised and amended as follows:

- (1) Section 101.1. Title. - Insert: "Village of Clarendon Hills"
- (2) Section 103.1. General. - Replace the section in its entirety with the following: "The Community Development Department shall serve as the department of mechanical inspection and the executive official in charge thereof shall be known as the code official."
- (3) Section 106.5.2. Fee schedule. - Replace the section in its entirety with the following: "The fees for mechanical work shall be as indicated in the appropriate schedules in the Village Code."
- (4) Section 106.5.3. Fee refunds. - Delete entire section.
- (5) Section 109. Means of Appeal. - Delete entire section.
- (6) Section 306.3. Appliances in attics. - Add new subsection 306.3.2 as follows:
"306.3.2 Enclosure and venting. Heat producing appliances installed in attic spaces shall be enclosed within a room sheathed with 5/8 inch drywall that provides adequate access and space for maintenance and allows sufficient intake of combustion air."
- (7) Section 903.3. Unvented gas log heaters. - Replace the section in its entirety with the following: "Unvented gas log heaters are not permitted."

AMENDMENTS TO INTERNATIONAL FUEL GAS CODE: The International Fuel Gas Code 2006 as adopted, effective January 1, 2007, is revised and amended as follows:

- (1) Section 101.1. Title. - Insert: "Village of Clarendon Hills"
- (2) Section 106.5.2. Fee schedule. - Replace the section in its entirety with the following: "The fees for work shall be as indicated in the appropriate schedules in the Village Code."
- (3) Section 106.5.3. Fee refunds. - Delete entire section.
- (4) Section 109. Means of Appeal. - Delete entire section.
- (5) Section [M]306.3. Appliances in attics. - Add new subsection [M]306.3.2 as follows:
"[M]306.3.2 Enclosure and venting. Heat producing appliances installed in attic spaces shall

be enclosed within a room sheathed with 5/8 inch drywall that provides adequate access and space for maintenance and allows sufficient intake of combustion air.”

- (6) Section 403.4.3. Copper and brass. - Replace the section in its entirety with the following:
“Copper and brass pipe shall not be used.”
- (7) Section 403.4.4. - Aluminum. Replace the section in its entirety with the following:
“Aluminum-alloy pipe shall not be used.”
- (8) Section 403.4.5.2. - Copper and brass tubing. Replace the section in its entirety with the following:
“Copper and brass tubing shall not be used.”
- (9) Section 403.4.5.3. - Aluminum tubing. Replace the section in its entirety with the following:
“Aluminum-alloy tubing shall not be used.”
- (10) Section 404.9. Minimum burial depth. - Substitute the phrase “18 inches (457 mm)” for the phrase “12 inches (305 mm)”.
- (11) Section 404.9.1. Individual outside appliances. - Substitute the phrase “18 inches (457 mm)” for the phrase “8 inches (203 mm)”.
- (12) Section 621.1. Unvented room heaters. - General. Replace the section in its entirety with the following: “Unvented room heaters are not permitted.”

Any questions concerning the local amendments and/or the International Mechanical Code or the International Fuel Gas Code can be directed to the Community Development Department at (630) 323-3500 Ext. 6.